



UNICA X

Catalog 2024

se.com

Life Is On

Schneider
Electric



Contents

Presentation 4

Functions 6

Controls 7

Specialized Controls 10

Comfort Controls 11

Sockets..... 13

Switched Sockets 14

Sockets with USB Chargers 15

Communication Outlets..... 17

Cover Frames and Accessories..... 21

Technical Information 22

Connections 23

Dimensions..... 26

Reference Numbers 39

Unica X

Give your spaces a modern edge with our next-generation solution.

Enhance the allure and functionality of your living spaces with UNICA X. Our latest line of ultra-sleek switches and sockets offers distinctive ergonomic designs, advanced connectivity, and much more. UNICA X transcends the ordinary switch – it embodies excellence and luxury, tailored to complement your individual style and preferences.

Elevate your surroundings with UNICA X, and immerse yourself in a new realm of satisfaction, efficiency, innovation and safety.

Design Ultra-thin



UNICA X embodies the minimalist design ethos, effortlessly integrating into your walls.

This range of stainless-steel wiring devices boasts an unprecedented slim profile with a mere 6.5mm thickness, showcasing our meticulous, innovative, and refined craftsmanship.

Each interaction with UNICA X offers a sensory journey, elevating your space with contemporary elegance. Discover the potential of ultra-slim brilliance today.

Material and Finishing

UNICA X, with its ultra-thin profile, is meticulously crafted from premium stainless steel using a high-intensity metal forging process. Available in six exclusive colors and finishes, these luxurious switches and sockets seamlessly blend into your walls, making them the ideal choice for contemporary, minimalist interiors. The plate's edge is crafted with CNC precision machining, Giving it an exquisite touch to its overall design.





Quality

Crafted with durability in mind, the range is made using techniques like sandblasting, electroplating, painting, anodizing, and brushing. These functions are carried out in our dust-free workshops and ensures that the range boasts of a velvet-like textures.



Advanced Function

UNICA X offers a modern edge with advanced features designed to make your everyday interactions, a little better. Experience a seamless fusion of contemporary design and practical innovation, enhancing both the look and utility of your spaces.

- **Motion Sensor Night Light**

No more fumbling in the dark or wasting energy with UNICA X's motion sensor night light. It illuminates as you enter and Gently dims when you depart, providing enhanced convenience while promoting energy efficiency.

- **Socket with USB A+C**

Streamline your charging experience with UNICA X. Its effortless plug functionality offers a seamless way to access power and cater to diverse charging requirements all at once.

Unica X







Controls

Specialized controls



Comfort controls





Switches – 16 AX – 250 V AC

	1G	2G	3G	4G
	1			
				
1-way				
☐ Painted White	NUX31_1_PW	NUX32_1_PW	NUX33_1_PW	NUX34_1_PW
☐ Stainless Steel	NUX31_1_SS	NUX32_1_SS	NUX33_1_SS	NUX34_1_SS
☐ Jet Black	NUX31_1_JB	NUX32_1_JB	NUX33_1_JB	NUX34_1_JB
☐ DarkGrey	NUX31_1_DG	NUX32_1_DG	NUX33_1_DG	NUX34_1_DG
☐ Dark Bronze	NUX31_1_DB	NUX32_1_DB	NUX33_1_DB	NUX34_1_DB
☐ Antique Brass	NUX31_1_AB	NUX32_1_AB	NUX33_1_AB	NUX34_1_AB
	1G	2G	3G	4G
	2 1 L			
				
2-way				
☐ Painted White	NUX31_2_PW	NUX32_2_PW	NUX33_2_PW	NUX34_2_PW
☐ Stainless Steel	NUX31_2_SS	NUX32_2_SS	NUX33_2_SS	NUX34_2_SS
☐ Jet Black	NUX31_2_JB	NUX32_2_JB	NUX33_2_JB	NUX34_2_JB
☐ DarkGrey	NUX31_2_DG	NUX32_2_DG	NUX33_2_DG	NUX34_2_DG
☐ Dark Bronze	NUX31_2_DB	NUX32_2_DB	NUX33_2_DB	NUX34_2_DB
☐ Antique Brass	NUX31_2_AB	NUX32_2_AB	NUX33_2_AB	NUX34_2_AB
	1G	2G		
	2 1 3 4			
				
Intermediate				
☐ Painted White	NUX31_IM_PW	NUX32_IM_PW		
☐ Stainless Steel	NUX31_IM_SS	NUX32_IM_SS		
☐ Jet Black	NUX31_IM_JB	NUX32_IM_JB		
☐ DarkGrey	NUX31_IM_DG	NUX32_IM_DG		
☐ Dark Bronze	NUX31_IM_DB	NUX32_IM_DB		
☐ Antique Brass	NUX31_IM_AB	NUX32_IM_AB		


Switches with LED Indicator – 16 AX – 250 V AC

	1G	2G	3G	4G
				
				
1-way				
☐ Painted White	NUX31_1N_PW	NUX32_1N_PW	NUX33_1N_PW	NUX34_1N_PW
☐ Stainless Steel	NUX31_1N_SS	NUX32_1N_SS	NUX33_1N_SS	NUX34_1N_SS
☒ Jet Black	NUX31_1N_JB	NUX32_1N_JB	NUX33_1N_JB	NUX34_1N_JB
☒ DarkGrey	NUX31_1N_DG	NUX32_1N_DG	NUX33_1N_DG	NUX34_1N_DG
☒ Dark Bronze	NUX31_1N_DB	NUX32_1N_DB	NUX33_1N_DB	NUX34_1N_DB
☒ Antique Brass	NUX31_1N_AB	NUX32_1N_AB	NUX33_1N_AB	NUX34_1N_AB
	1G	2G	3G	4G
				
				
2-way				
☐ Painted White	NUX31_2N_PW	NUX32_2N_PW	NUX33_2N_PW	NUX34_2N_PW
☐ Stainless Steel	NUX31_2N_SS	NUX32_2N_SS	NUX33_2N_SS	NUX34_2N_SS
☒ Jet Black	NUX31_2N_JB	NUX32_2N_JB	NUX33_2N_JB	NUX34_2N_JB
☒ DarkGrey	NUX31_2N_DG	NUX32_2N_DG	NUX33_2N_DG	NUX34_2N_DG
☒ Dark Bronze	NUX31_2N_DB	NUX32_2N_DB	NUX33_2N_DB	NUX34_2N_DB
☒ Antique Brass	NUX31_2N_AB	NUX32_2N_AB	NUX33_2N_AB	NUX34_2N_AB


Switches with LED Indicator – 20 A – 250 V

	1G	2G
	2-pole	
		
		
1-way		
☐ Painted White	NUX31D20N_PW	NUX32D20N_PW
☐ Stainless Steel	NUX31D20N_SS	NUX32D20N_SS
☒ Jet Black	NUX31D20N_JB	NUX32D20N_JB
☒ DarkGrey	NUX31D20N_DG	NUX32D20N_DG
☒ Dark Bronze	NUX31D20N_DB	NUX32D20N_DB
☒ Antique Brass	NUX31D20N_AB	NUX32D20N_AB
	1G	
	2-pole	
		
		
2-way		
☐ Painted White	NUX31D20N_2_PW	
☐ Stainless Steel	NUX31D20N_2_SS	
☒ Jet Black	NUX31D20N_2_JB	
☒ DarkGrey	NUX31D20N_2_DG	
☒ Dark Bronze	NUX31D20N_2_DB	
☒ Antique Brass	NUX31D20N_2_AB	

Switches with LED Indicator – 32 A – 250 V

	1G
	2-pole
	
	
1-way	
☐ Painted White	NUX31D32N_PW
☐ Stainless Steel	NUX31D32N_SS
☒ Jet Black	NUX31D32N_JB
☒ DarkGrey	NUX31D32N_DG
☒ Dark Bronze	NUX31D32N_DB
☒ Antique Brass	NUX31D32N_AB

Switches with LED Indicator – 50 A – 250 V

	1G
	2-pole
	
	
1-way	
☐ Painted White	NUX31D50N_PW
☐ Stainless Steel	NUX31D50N_SS
☒ Jet Black	NUX31D50N_JB
☒ DarkGrey	NUX31D50N_DG
☒ Dark Bronze	NUX31D50N_DB
☒ Antique Brass	NUX31D50N_AB

Unica X

Specialized Controls

Panic Buttons with Key Reset

	1G
	
☐ Painted White	NUX31KPB_PW
☐ Stainless Steel	NUX31KPB_SS
☒ Jet Black	NUX31KPB_JB
☐ DarkGrey	NUX31KPB_DG
☐ Dark Bronze	NUX31KPB_DB
☐ Antique Brass	NUX31KPB_AB

Fan Control Units with Rotary Knob

	1G
	
☐ Painted White	NUX31FR350_PW
☐ Stainless Steel	NUX31FR350_SS
☒ Jet Black	NUX31FR350_JB
☐ DarkGrey	NUX31FR350_DG
☐ Dark Bronze	NUX31FR350_DB
☐ Antique Brass	NUX31FR350_AB


Bell Buttons – 10 A – 250 V AC

	1G
	
☐ Painted White	NUX31_BP_PW
☐ Stainless Steel	NUX31_BP_SS
☒ Jet Black	NUX31_BP_JB
☐ DarkGrey	NUX31_BP_DG
☐ Dark Bronze	NUX31_BP_DB
☐ Antique Brass	NUX31_BP_AB

Cooker Control Units – 45 A – 250 V AC

	1G 2-pole
	
☐ Painted White	NUXT15D45N_PW
☐ Stainless Steel	NUXT15D45N_SS
☒ Jet Black	NUXT15D45N_JB
☐ DarkGrey	NUXT15D45N_DG
☐ Dark Bronze	NUXT15D45N_DB
☐ Antique Brass	NUXT15D45N_AB

Universal Push-button Dimmers – 250 W

	1G	2G	3G
			
2-way			
☐ Painted White	NUX31RUD250_PW	NUX32RUD250_PW	NUX33RUD250_PW
☐ Stainless Steel	NUX31RUD250_SS	NUX32RUD250_SS	NUX33RUD250_SS
☒ Jet Black	NUX31RUD250_JB	NUX32RUD250_JB	NUX33RUD250_JB
☐ DarkGrey	NUX31RUD250_DG	NUX32RUD250_DG	NUX33RUD250_DG
☐ Dark Bronze	NUX31RUD250_DB	NUX32RUD250_DB	NUX33RUD250_DB
☐ Antique Brass	NUX31RUD250_AB	NUX32RUD250_AB	NUX33RUD250_AB

Unica X

Comfort Controls

Speaker Connection Units

	1G	
	1 pair	2 pairs
		
☐ Painted White	NUX31SC_PW	NUX32SC_PW
☐ Stainless Steel	NUX31SC_SS	NUX32SC_SS
☒ Jet Black	NUX31SC_JB	NUX32SC_JB
☐ DarkGrey	NUX31SC_DG	NUX32SC_DG
☐ Dark Bronze	NUX31SC_DB	NUX32SC_DB
☐ Antique Brass	NUX31SC_AB	NUX32SC_AB

Night Foot Lamps with LED Indicator and PIR Sensor

	1G
	
☐ Painted White	NUXFLIR_PW
☐ Stainless Steel	NUXFLIR_SS
☒ Jet Black	NUXFLIR_JB
☐ DarkGrey	NUXFLIR_DG
☐ Dark Bronze	NUXFLIR_DB
☐ Antique Brass	NUXFLIR_AB

Switches with DND, PCU Symbol – 10 A – 250 V AC

	2G
	
☐ Painted White	NUX32DMS_PW
☐ Stainless Steel	NUX32DMS_SS
☒ Jet Black	NUX32DMS_JB
☐ DarkGrey	NUX32DMS_DG
☐ Dark Bronze	NUX32DMS_DB
☐ Antique Brass	NUX32DMS_AB

Momentary Switches – 10 A – 250 V AC

	1G	2G	3G
			
☐ Painted White	NUX31_PR_PW	NUX32_PR_PW	NUX33_PR_PW
☐ Stainless Steel	NUX31_PR_SS	NUX32_PR_SS	NUX33_PR_SS
☒ Jet Black	NUX31_PR_JB	NUX32_PR_JB	NUX33_PR_JB
☐ DarkGrey	NUX31_PR_DG	NUX32_PR_DG	NUX33_PR_DG
☐ Dark Bronze	NUX31_PR_DB	NUX32_PR_DB	NUX33_PR_DB
☐ Antique Brass	NUX31_PR_AB	NUX32_PR_AB	NUX33_PR_AB

Shaver Sockets – 115/230 V AC

	1G (Vertical)
	
☐ Painted White	NUXT727V_PW
☐ Stainless Steel	NUXT727V_SS
☒ Jet Black	NUXT727V_JB
☐ DarkGrey	NUXT727V_DG
☐ Dark Bronze	NUXT727V_DB
☐ Antique Brass	NUXT727V_AB

Bell Switches with DND, PCU Indicator

	1G
	
☐ Painted White	NUX31BPDM_PW
☐ Stainless Steel	NUX31BPDM_SS
☒ Jet Black	NUX31BPDM_JB
☐ DarkGrey	NUX31BPDM_DG
☐ Dark Bronze	NUX31BPDM_DB
☐ Antique Brass	NUX31BPDM_AB

Electronic Key Card Switches – 16 A – 250 V AC

	1G
	
☐ Painted White	NUX31EKT_PW
☐ Stainless Steel	NUX31EKT_SS
☒ Jet Black	NUX31EKT_JB
☐ DarkGrey	NUX31EKT_DG
☐ Dark Bronze	NUX31EKT_DB
☐ Antique Brass	NUX31EKT_AB

Unica X

Sockets and USB chargers



Unica X Sockets

Sockets – 5 A – 250 V AC

1G	
	
☐ Painted White	NUX426_5_PW
☐ Stainless Steel	NUX426_5_SS
☐ Jet Black	NUX426_5_JB
☐ DarkGrey	NUX426_5_DG
☐ Dark Bronze	NUX426_5_DB
☐ Antique Brass	NUX426_5_AB

Sockets – 13 A – 250 V AC

	1G	2G
		
☐ Painted White	NUX426_PW	NUXT426_PW
☐ Stainless Steel	NUX426_SS	NUXT426_SS
☒ Jet Black	NUX426_JB	NUXT426_JB
☐ DarkGrey	NUX426_DG	NUXT426_DG
☐ Dark Bronze	NUX426_DB	NUXT426_DB
☐ Antique Brass	NUX426_AB	NUXT426_AB

International Sockets – 13 A – 250 V AC

2G	
	
☐ Painted White	NUX25TS_PW
☐ Stainless Steel	NUX25TS_SS
☐ Jet Black	NUX25TS_JB
☐ DarkGrey	NUX25TS_DG
☐ Dark Bronze	NUX25TS_DB
☐ Antique Brass	NUX25TS_AB

Sockets with LED Indicator –15 A – 250 V AC

1G	
	
☐ Painted White	NUX15_15N_PW
☐ Stainless Steel	NUX15_15N_SS
☐ Jet Black	NUX15_15N_JB
☐ DarkGrey	NUX15_15N_DG
☐ Dark Bronze	NUX15_15N_DB
☐ Antique Brass	NUX15_15N_AB

International Sockets with LED Indicator – 16 A – 250 V AC

1G	
	
☐ Painted White	NUX15TSN_PW
☐ Stainless Steel	NUX15TSN_SS
☐ Jet Black	NUX15TSN_JB
☐ DarkGrey	NUX15TSN_DG
☐ Dark Bronze	NUX15TSN_DB
☐ Antique Brass	NUX15TSN_AB

Universal Sockets – 16 A – 250 V AC

1G	3-pin	2x3-pin
 		
☐ Painted White	NUX426UEST_PW	NUX426UEST2_PW
☐ Stainless Steel	NUX426UEST_SS	NUX426UEST2_SS
☐ Jet Black	NUX426UEST_JB	NUX426UEST2_JB
☐ DarkGrey	NUX426UEST_DG	NUX426UEST2_DG
☐ Dark Bronze	NUX426UEST_DB	NUX426UEST2_DB

Unica X

Switched Sockets

Switched Sockets – 5 A – 250 V AC

1G	
	
☐ Painted White	NUX15_5_PW
☐ Stainless Steel	NUX15_5_SS
☐ Jet Black	NUX15_5_JB
☐ DarkGrey	NUX15_5_DG
☐ Dark Bronze	NUX15_5_DB
☐ Antique Brass	NUX15_5_AB

Switched Sockets – 13 A – 250 V AC

	1G		2G	
		2-pole		2-pole
				
☐ Painted White	NUX15_PW	NUX15D_PW	NUXT25_PW	NUXT25D_PW
☐ Stainless Steel	NUX15_SS	NUX15D_SS	NUXT25_SS	NUXT25D_SS
☐ Jet Black	NUX15_JB	NUX15D_JB	NUXT25_JB	NUXT25D_JB
☐ DarkGrey	NUX15_DG	NUX15D_DG	NUXT25_DG	NUXT25D_DG
☐ Dark Bronze	NUX15_DB	NUX15D_DB	NUXT25_DB	NUXT25D_DB
☐ Antique Brass	NUX15_AB	NUX15D_AB	NUXT25_AB	NUXT25D_AB

Switched Sockets with LED Indicator – 13 A – 250 V AC

	1G	2G		
		2-pole		2-pole
				
☐ Painted White	NUX15N_PW	NUX15DN_PW	NUXT25N_PW	NUXT25DN_PW
☐ Stainless Steel	NUX15N_SS	NUX15DN_SS	NUXT25N_SS	NUXT25DN_SS
☐ Jet Black	NUX15N_JB	NUX15DN_JB	NUXT25N_JB	NUXT25DN_JB
☐ DarkGrey	NUX15N_DG	NUX15DN_DG	NUXT25N_DG	NUXT25DN_DG
☐ Dark Bronze	NUX15N_DB	NUX15DN_DB	NUXT25N_DB	NUXT25DN_DB
☐ Antique Brass	NUX15N_AB	NUX15DN_AB	NUXT25N_AB	NUXT25DN_AB

Sockets with USB Chargers

Switched Sockets with USB Chargers – 13 A – 250 V AC, 21 W

	1G	2G
	Type A+C, 2-pole	
		
☐ Painted White	NUX15DACQUS_PW	NUX25DACQUS_PW
☐ Stainless Steel	NUX15DACQUS_SS	NUX25DACQUS_SS
☐ Jet Black	NUX15DACQUS_JB	NUX25DACQUS_JB
☐ DarkGrey	NUX15DACQUS_DG	NUX25DACQUS_DG
☐ Dark Bronze	NUX15DACQUS_DB	NUX25DACQUS_DB
☐ Antique Brass	NUX15DACQUS_AB	NUX25DACQUS_AB

International Switched Sockets with USB Chargers – 13 A, 21 W

	1G	2G
	Type A+C	
		
☐ Painted White	NUX5TSACQUS_PW	NUX25TSACQUS_PW
☐ Stainless Steel	NUX5TSACQUS_SS	NUX25TSACQUS_SS
☐ Jet Black	NUX5TSACQUS_JB	NUX25TSACQUS_JB
☐ DarkGrey	NUX5TSACQUS_DG	NUX25TSACQUS_DG
☐ Dark Bronze	NUX5TSACQUS_DB	NUX25TSACQUS_DB
☐ Antique Brass	NUX5TSACQUS_AB	NUX25TSACQUS_AB

USB Chargers – 45 W

	Type A+C
	
☐ Painted White	NUX32ACQUSB_PW
☐ Stainless Steel	NUX32ACQUSB_SS
☐ Jet Black	NUX32ACQUSB_JB
☐ DarkGrey	NUX32ACQUSB_DG
☐ Dark Bronze	NUX32ACQUSB_DB
☐ Antique Brass	NUX32ACQUSB_AB

Unica X Communication outlets



Communication Outlets

Fuse Connection Units with Flex Outlet – 13 A – 250 V

	1G	
		2-pole
		
☐ Painted White	NUX31FSG_PW	NUX31DFSG_PW
☐ Stainless Steel	NUX31FSG_SS	NUX31DFSG_SS
☐ Jet Black	NUX31FSG_JB	NUX31DFSG_JB
☐ DarkGrey	NUX31FSG_DG	NUX31DFSG_DG
☐ Dark Bronze	NUX31FSG_DB	NUX31DFSG_DB
☐ Antique Brass	NUX31FSG_AB	NUX31DFSG_AB

Fuse Connection Units with Flex Outlet, LED Indicator – 13 A – 250 V

	1G	
		2-pole
		
☐ Painted White	NUX31FSGN_PW	NUX31DFSGN_PW
☐ Stainless Steel	NUX31FSGN_SS	NUX31DFSGN_SS
☐ Jet Black	NUX31FSGN_JB	NUX31DFSGN_JB
☐ DarkGrey	NUX31FSGN_DG	NUX31DFSGN_DG
☐ Dark Bronze	NUX31FSGN_DB	NUX31DFSGN_DB
☐ Antique Brass	NUX31FSGN_AB	NUX31DFSGN_AB

Connection Units with Flex Outlet – 25 A – 250 V AC

	1G
	
☐ Painted White	NUX31TB_PW
☐ Stainless Steel	NUX31TB_SS
☐ Jet Black	NUX31TB_JB
☐ DarkGrey	NUX31TB_DG
☐ Dark Bronze	NUX31TB_DB
☐ Antique Brass	NUX31TB_AB

Connection Units with Flex Outlet – 45 A – 250 V AC

	1G
	
☐ Painted White	NUX554_PW
☐ Stainless Steel	NUX554_SS
☐ Jet Black	NUX554_JB
☐ DarkGrey	NUX554_DG
☐ Dark Bronze	NUX554_DB
☐ Antique Brass	NUX554_AB

Communication Outlets

Shuttered Telephone Sockets

	1G	2G
		
☐ Painted White	NUX31RJ4_PW	NUX32RJ4_PW
☐ Stainless Steel	NUX31RJ4_SS	NUX32RJ4_SS
☒ Jet Black	NUX31RJ4_JB	NUX32RJ4_JB
☐ DarkGrey	NUX31RJ4_DG	NUX32RJ4_DG
☐ Dark Bronze	NUX31RJ4_DB	NUX32RJ4_DB
☐ Antique Brass	NUX31RJ4_AB	NUX32RJ4_AB

Shuttered TV + Telephone Sockets

	2G
	
☐ Painted white	NUX32TVRJ4_PW
☐ Stainless steel	NUX32TVRJ4_SS
☒ Jet black	NUX32TVRJ4_JB
☐ DarkGrey	NUX32TVRJ4_DG
☐ Dark bronze	NUX32TVRJ4_DB
☐ Antique brass	NUX32TVRJ4_AB

TV Sockets – 75 Ohm

	1G	2G
		
☐ Painted White	NUX31TV_PW	NUX32TV_PW
☐ Stainless Steel	NUX31TV_SS	NUX32TV_SS
☒ Jet Black	NUX31TV_JB	NUX32TV_JB
☐ DarkGrey	NUX31TV_DG	NUX32TV_DG
☐ Dark Bronze	NUX31TV_DB	NUX32TV_DB
☐ Antique Brass	NUX31TV_AB	NUX32TV_AB

TV Master/FM Sockets

	2G
	
☐ Painted white	NUX32TVFMM_PW
☐ Stainless steel	NUX32TVFMM_SS
☒ Jet black	NUX32TVFMM_JB
☐ DarkGrey	NUX32TVFMM_DG
☐ Dark bronze	NUX32TVFMM_DB
☐ Antique brass	NUX32TVFMM_AB

SMAT TV Sockets

	2G
	
☐ Painted White	NUX33SMATV_PW
☐ Stainless Steel	NUX33SMATV_SS
☒ Jet Black	NUX33SMATV_JB
☐ DarkGrey	NUX33SMATV_DG
☐ Dark Bronze	NUX33SMATV_DB
☐ Antique Brass	NUX33SMATV_AB

Satellite Sockets

	1G Type F
	
☐ Painted White	NUX31SAT_PW
☐ Stainless Steel	NUX31SAT_SS
☒ Jet Black	NUX31SAT_JB
☐ DarkGrey	NUX31SAT_DG
☐ Dark Bronze	NUX31SAT_DB
☐ Antique Brass	NUX31SAT_AB

Communication Outlets

Cat. 6 RJ45 Shuttered Data Sockets

	1G	2G	2G (TV + Data)	2G (Telephone + Data)
				
☐ Painted White	NUX31RJ6_PW	NUX32RJ6_PW	NUX32TVRJ6_PW	NUX32TDRJ6_PW
☐ Stainless Steel	NUX31RJ6_SS	NUX32RJ6_SS	NUX32TVRJ6_SS	NUX32TDRJ6_SS
☐ Jet Black	NUX31RJ6_JB	NUX32RJ6_JB	NUX32TVRJ6_JB	NUX32TDRJ6_JB
☐ DarkGrey	NUX31RJ6_DG	NUX32RJ6_DG	NUX32TVRJ6_DG	NUX32TDRJ6_DG
☐ Dark Bronze	NUX31RJ6_DB	NUX32RJ6_DB	NUX32TVRJ6_DB	NUX32TDRJ6_DB
☐ Antique Brass	NUX31RJ6_AB	NUX32RJ6_AB	NUX32TVRJ6_AB	NUX32TDRJ6_AB

RJ45 Shuttered Data Sockets Cover Frames

	1G	2G
		
☐ Painted White	NUX31RJ_PW	NUX32RJ_PW
☐ Stainless Steel	NUX31RJ_SS	NUX32RJ_SS
☐ Jet Black	NUX31RJ_JB	NUX32RJ_JB
☐ DarkGrey	NUX31RJ_DG	NUX32RJ_DG
☐ Dark Bronze	NUX31RJ_DB	NUX32RJ_DB
☐ Antique Brass	NUX31RJ_AB	NUX32RJ_AB

Unica X

Cover frames and Accessories



Cover Frames and Accessories


Multi Surround Plates

	2G	3G
		
☐ Painted White	NUX_21_PW	NUX_31_PW
☐ Stainless Steel	NUX_21_SS	NUX_31_SS
☐ Jet Black	NUX_21_JB	NUX_31_JB
☐ DarkGrey	NUX_21_DG	NUX_31_DG
☐ Dark Bronze	NUX_21_DB	NUX_31_DB
☐ Antique Brass	NUX_21_AB	NUX_31_AB

	4G
	
☐ Painted White	NUX_41_PW
☐ Stainless Steel	NUX_41_SS
☐ Jet Black	NUX_41_JB
☐ DarkGrey	NUX_41_DG
☐ Dark Bronze	NUX_41_DB
☐ Antique Brass	NUX_41_AB

	5G
	
☐ Painted White	NUX_51_PW
☐ Stainless Steel	NUX_51_SS
☐ Jet Black	NUX_51_JB
☐ DarkGrey	NUX_51_DG
☐ Dark Bronze	NUX_51_DB
☐ Antique Brass	NUX_51_AB

Blank Plates

	1G	2G
		
☐ Painted White	NUX30X_PW	NUX30TX_PW
☐ Stainless Steel	NUX30X_SS	NUX30TX_SS
☐ Jet Black	NUX30X_JB	NUX30TX_JB
☐ DarkGrey	NUX30X_DG	NUX30TX_DG
☐ Dark Bronze	NUX30X_DB	NUX30TX_DB
☐ Antique Brass	NUX30X_AB	NUX30TX_AB

Unica X

Technical Information




Technical Information


Connections

Switches


1-way Switch




2-way Switch




1-way Switch with LED Indicator




2-way Switch with LED Indicator




Intermediate Switch



1-way Switch - 4Gang



2-way Switch - 4Gang




Note: # represents 1/2/3/4

Technical Information


Connections

Switches


1-way Double Pole Switch




Momentary Switch



2-way Double Pole Switch




Bell Switch




Sockets

Socket




Switched Socket



USB Socket


USB Socket




Technical Information

Connections


Fan Controller



Night Foot Lamp




Bell Switch with DND, PCU Symbol




Key Card Switch

General



Application for Connect Contactor




Technical Information

Dimensions


Switches

Dimensions (mm)


1G Switch




2G Switch




3G Switch




4G Switch




1G Intermediate Switch




2G Intermediate Switch



Panic Buttons with Key Reset



Bell Switches with DND, PCU Indicator




Technical Information

Dimensions


Switches

Dimensions (mm)


Switches with DND, PCU Symbol




1G Fan Control Units with Rotary Knob




1G Universal Push Button Dimmers



1G Night Foot Lamps with LED Indicator and PIR Sensor



1G Electronic Key Card Switches




Technical Information

Dimensions


Double Pole Switches

Dimensions (mm)


1G Switches with LED Indicator – 20 A




2G Switches with LED Indicator – 20 A




1G Switches with LED Indicator – 20 A



1G Switches with LED Indicator – 32 A, 50 A



1G Cooker Control Units




Technical Information

Dimensions


Sockets

Dimensions (mm)


1G Sockets – 5 A




1G Sockets – 13 A




2G Sockets with LED Indicator – 15 A




1G Universal Sockets, 3-pin




1G Universal Sockets, 2x3-pin




1G International Sockets with LED Indicator



1G Switched Sockets – 5 A



1G Switched Sockets – 13 A











Technical Information

Dimensions

Sockets

Dimensions (mm)

2G Switched Sockets – 13 A

2G International Switched Sockets – 13 A

1G International Switched Sockets with USB Chargers, Type A+C – 13 A

2G International Switched Sockets with USB Chargers, Type A+C – 13 A

Shaver Sockets

USB Chargers

1G Switched Sockets with LED Indicator – 13 A

2G Switched Sockets with LED Indicator – 13 A



Technical Information

Dimensions


Double Pole Sockets

Dimensions (mm)


1G Switched Sockets – 13 A




2G Switched Sockets – 13 A




1G Switched Sockets with LED Indicator – 13 A




2G Switched Sockets with LED Indicator – 13 A



1G Switched Sockets with USB Chargers, Type A+C



2G Switched Sockets with USB Chargers, Type A+C




Technical Information

Dimensions


Communication Outlets

Dimensions (mm)


1G Fuse Connection Units – 13 A




Double Pole 1G, Fuse Connection Units – 13 A




1G Fuse Connection Units with LED Indicator – 13 A




Double Pole 1G, Fuse Connection Units with LED Indicator – 13 A




1G Fuse Connection Units – 25 A




1G Fuse Connection Units – 45 A



1G TV Sockets



2G TV Sockets




Technical Information

Dimensions


Communication Outlets

Dimensions (mm)


TV Master/FM Sockets




2G SMAT TV Sockets




1G Satellite Sockets, Type F




1G Cat. 6 RJ45 Shuttered Data Sockets




2G Cat. 6 RJ45 Shuttered Data Sockets




2G Cat. 6 RJ45 Shuttered Data Sockets (TV + Data)



2G Cat. 6 RJ45 Shuttered Data Sockets (Telephone + Data)



1G RJ45 Shuttered Data Sockets Cover Frames




Technical Information

Dimensions


Communication Outlets

Dimensions (mm)


2G RJ45 Shuttered Data Sockets Cover Frames




1G Speaker Connection Units, 1 Pair




1G Speaker Connection Units, 2 Pair




1G Shuttered Telephone Sockets



2G Shuttered Telephone Sockets



2G Shuttered TV + Telephone Sockets



Technical Information


Dimensions

Cover Frames and Accessories


Dimensions (mm)

Multi Surround Plates


2G




3G



4G



5G




Technical Information

Dimensions


Cover Frames and Accessories

Dimensions (mm)

1G Blank Plates




2G Blank Plates



Technical Information

Dimensions

Product Dimensions (mm)



Ref.	A (mm)	B (mm)
NUX31_1_xx	19 mm	27 mm
NUX31_1N_xx	19 mm	27 mm
NUX31_2_xx	19 mm	27 mm
NUX31_2N_xx	19 mm	27 mm
NUX32_1_xx	19 mm	27 mm
NUX32_1N_xx	19 mm	27 mm
NUX32_2_xx	19 mm	27 mm
NUX32_2N_xx	19 mm	27 mm
NUX33_1_xx	19 mm	27 mm
NUX33_1N_xx	19 mm	27 mm
NUX33_2_xx	19 mm	27 mm
NUX33_2N_xx	19 mm	27 mm
NUX34_1_xx	19 mm	27 mm
NUX34_1N_xx	19 mm	27 mm
NUX34_2_xx	19 mm	27 mm
NUX34_2N_xx	19 mm	27 mm
NUX31_BP_xx	19 mm	27 mm
NUX31_IM_xx	19 mm	27 mm
NUX32_IM_xx	19 mm	27 mm
NUX31D20N_xx	19 mm	27 mm
NUX32D20N_xx	19 mm	27 mm
NUX31D20N_2_xx	19 mm	27 mm
NUX31D32N_xx	21.4 mm	47 mm
NUX31D50N_xx	21.4 mm	47 mm
NUX31_PR_xx	19 mm	25.5 mm
NUX32_PR_xx	19 mm	25.5 mm
NUX33_PR_xx	19 mm	25.5 mm
NUX31KPB_xx	27.7 mm	34.3 mm
NUX31BPDM_xx	28.15 mm	34.65 mm
NUX32DMS_xx	19 mm	25.5 mm
NUX31FSG_xx	15 mm	21.5 mm
NUX31FSGN_xx	15 mm	21.5 mm
NUX31DFSG_xx	15 mm	21.5 mm
NUX31DFSGN_xx	15 mm	21.5 mm
NUX31TB_xx	15 mm	21.5 mm
NUX554_xx	15 mm	21.5 mm
NUX426_5_xx	20.9 mm	27.6 mm
NUX15TSN_xx	20.75 mm	27.25 mm
NUX426UEST_xx	28.5 mm	35.3 mm
NUX426UEST2_xx	28.5 mm	35.3 mm
NUX426_xx	20.9 mm	27.4 mm
NUXT426_xx	20.9 mm	27.4 mm
NUXT25N_xx	20.9 mm	27.4 mm
NUX15D_xx	20.9 mm	27.4 mm
NUX15DN_xx	20.9 mm	27.4 mm
NUXT25D_xx	20.9 mm	27.4 mm
NUXT25DN_xx	20.9 mm	27.4 mm

Ref.	A (mm)	B (mm)
NUX15_5_xx	21.2 mm	31.2 mm
NUX15_15N_xx	25.7 mm	32.2 mm
NUXT15D45N_xx	21.4 mm	27.9 mm
NUX15_xx	20.9 mm	27.4 mm
NUX15N_xx	20.9 mm	27.4 mm
NUXT25_xx	20.9 mm	27.4 mm
NUXT25N_xx	20.9 mm	27.4 mm
NUX25TS_xx	22.8 mm	29.3 mm
NUX15DACQUS_xx	22 mm	28.5 mm
NUX25DACQUS_xx	22 mm	28.5 mm
NUX5TSACQUS_xx	22.5 mm	29 mm
NUX25TSACQUS_xx	22.8 mm	29.3 mm
NUX32ACQUSB_xx	33.9 mm	40.4 mm
NUXT727V_xx	39.9 mm	43.9 mm
NUX31RJ_xx	9.2 mm	15.8 mm
NUX32RJ_xx	9.2 mm	15.8 mm
NUX31RJ6_xx	32.1 mm	38.7 mm
NUX32RJ6_xx	32.1 mm	38.7 mm
NUX31RJ4_xx	25.5 mm	32.1 mm
NUX32RJ4_xx	25.5 mm	32.1 mm
NUX31TV_xx	15.8 mm	22.5 mm
NUX32TVFMM_xx	18.3 mm	25 mm
NUX32TV_xx	15.8 mm	22.5 mm
NUX31SAT_xx	12.7 mm	29.9 mm
NUX33SMATV_xx	24.5 mm	35.1 mm
NUX32TDRJ6_xx	32.1 mm	38.7 mm
NUX32TVRJ4_xx	25.5 mm	32.1 mm
NUX32TVRJ6_xx	32.1 mm	38.7 mm
NUXFLIR_xx	29.1 mm	44.1 mm
NUX31RUD250_xx	30.4 mm	36.9 mm
NUX32RUD250_xx	30.4 mm	36.9 mm
NUX33RUD250_xx	30.4 mm	36.9 mm
NUX31FR350_xx	32.2 mm	55.7 mm
NUX31EKT_xx	30.2 mm	43.3 mm
NUX31SC_xx	10.5 mm	28 mm
NUX32SC_xx	10.5 mm	28 mm
NUX_21_xx	–	7.4 mm
NUX_31_xx	–	7.4 mm
NUX_41_xx	–	7.4 mm
NUX_51_xx	–	7.4 mm
NUX30X_xx	–	15 mm
NUX30TX_xx	–	15 mm

Unica X Reference Numbers



Reference Numbers

Overview

Ref.	Page	Ref.	Page	Ref.	Page	Ref.	Page
NUX5TSACQUS_AB	15	NUX30TX_AB	21	NUX31D20N_2_DB	9	NUX31FSG_DB	17
NUX5TSACQUS_DB	15	NUX30TX_DB	21	NUX31D20N_2_DG	9	NUX31FSG_DG	17
NUX5TSACQUS_DG	15	NUX30TX_DG	21	NUX31D20N_2_JB	9	NUX31FSG_JB	17
NUX5TSACQUS_JB	15	NUX30TX_JB	21	NUX31D20N_2_PW	9	NUX31FSGN_AB	17
NUX5TSACQUS_PW	15	NUX30TX_PW	21	NUX31D20N_2_SS	9	NUX31FSGN_DB	17
NUX5TSACQUS_SS	15	NUX30TX_SS	21	NUX31D20N_AB	9	NUX31FSGN_DG	17
NUX15_15N_AB	13	NUX30X_AB	21	NUX31D20N_DB	9	NUX31FSGN_JB	17
NUX15_15N_DB	13	NUX30X_DB	21	NUX31D20N_DG	9	NUX31FSGN_PW	17
NUX15_15N_DG	13	NUX30X_DG	21	NUX31D20N_JB	9	NUX31FSGN_SS	17
NUX15_15N_JB	13	NUX30X_JB	21	NUX31D20N_PW	9	NUX31FSG_PW	17
NUX15_15N_PW	13	NUX30X_PW	21	NUX31D20N_SS	9	NUX31FSG_SS	17
NUX15_15N_SS	13	NUX30X_SS	21	NUX31D32N_AB	9	NUX31_IM_AB	7
NUX15DACQUS_AB	15	NUX31_1_AB	7	NUX31D32N_DB	9	NUX31_IM_DB	7
NUX15DACQUS_DB	15	NUX31_1_DB	7	NUX31D32N_DG	9	NUX31_IM_DG	7
NUX15DACQUS_DG	15	NUX31_1_DG	7	NUX31D32N_JB	9	NUX31_IM_JB	7
NUX15DACQUS_JB	15	NUX31_1_JB	7	NUX31D32N_PW	9	NUX31_IM_PW	7
NUX15DACQUS_PW	15	NUX31_1N_AB	8	NUX31D32N_SS	9	NUX31_IM_SS	7
NUX15DACQUS_SS	15	NUX31_1N_DB	8	NUX31D50N_AB	9	NUX_31_JB	21
NUX15_PW	14	NUX31_1N_DG	8	NUX31D50N_DB	9	NUX31KPB_AB	10
NUX15_SS	14	NUX31_1N_JB	8	NUX31D50N_DG	9	NUX31KPB_DB	10
NUX15TSN_AB	13	NUX31_1N_PW	8	NUX31D50N_JB	9	NUX31KPB_DG	10
NUX15TSN_DB	13	NUX31_1N_SS	8	NUX31D50N_PW	9	NUX31KPB_JB	10
NUX15TSN_DG	13	NUX31_1_PW	7	NUX31D50N_SS	9	NUX31KPB_PW	10
NUX15TSN_JB	13	NUX31_1_SS	7	NUX_31_DB	21	NUX31KPB_SS	10
NUX15TSN_PW	13	NUX31_2_AB	7	NUX31DFSG_AB	17	NUX31_PR_AB	11
NUX15TSN_SS	13	NUX31_2_DB	7	NUX31DFSG_DB	17	NUX31_PR_DB	11
NUX_21_AB	21	NUX31_2_DG	7	NUX31DFSG_DG	17	NUX31_PR_DG	11
NUX_21_DB	21	NUX31_2_JB	7	NUX31DFSG_JB	17	NUX31_PR_JB	11
NUX_21_DG	21	NUX31_2N_AB	8	NUX31DFSGN_AB	17	NUX31_PR_PW	11
NUX_21_JB	21	NUX31_2N_DB	8	NUX31DFSGN_DB	17	NUX31_PR_SS	11
NUX_21_PW	21	NUX31_2N_DG	8	NUX31DFSGN_DG	17	NUX_31_PW	21
NUX_21_SS	21	NUX31_2N_JB	8	NUX31DFSGN_JB	17	NUX31RJ4_AB	18
NUX25DACQUS_AB	15	NUX31_2N_PW	8	NUX31DFSGN_PW	17	NUX31RJ4_DB	18
NUX25DACQUS_DB	15	NUX31_2N_SS	8	NUX31DFSGN_SS	17	NUX31RJ4_DG	18
NUX25DACQUS_DG	15	NUX31_2_PW	7	NUX31DFSG_PW	17	NUX31RJ4_JB	18
NUX25DACQUS_JB	15	NUX31_2_SS	7	NUX31DFSG_SS	17	NUX31RJ4_PW	18
NUX25DACQUS_PW	15	NUX_31_AB	21	NUX_31_DG	21	NUX31RJ4_SS	18
NUX25DACQUS_SS	15	NUX31_BP_AB	10	NUX31EKT_AB	11	NUX31RJ6_AB	19
NUX25TS_AB	13	NUX31_BP_DB	10	NUX31EKT_DB	11	NUX31RJ6_DB	19
NUX25TSACQUS_AB	15	NUX31_BP_DG	10	NUX31EKT_DG	11	NUX31RJ6_DG	19
NUX25TSACQUS_DB	15	NUX31BPDM_AB	11	NUX31EKT_JB	11	NUX31RJ6_JB	19
NUX25TSACQUS_DG	15	NUX31BPDM_DB	11	NUX31EKT_PW	11	NUX31RJ6_PW	19
NUX25TSACQUS_JB	15	NUX31BPDM_DG	11	NUX31EKT_SS	11	NUX31RJ6_SS	19
NUX25TSACQUS_PW	15	NUX31BPDM_JB	11	NUX31FR350_AB	10	NUX31RJ_AB	19
NUX25TSACQUS_SS	15	NUX31BPDM_PW	11	NUX31FR350_DB	10	NUX31RJ_DB	19
NUX25TS_DB	13	NUX31BPDM_SS	11	NUX31FR350_DG	10	NUX31RJ_DG	19
NUX25TS_DG	13	NUX31_BP_JB	10	NUX31FR350_JB	10	NUX31RJ_JB	19
NUX25TS_JB	13	NUX31_BP_PW	10	NUX31FR350_PW	10	NUX31RJ_PW	19
NUX25TS_PW	13	NUX31_BP_SS	10	NUX31FR350_SS	10	NUX31RJ_SS	19
NUX25TS_SS	13	NUX31D20N_2_AB	9	NUX31FSG_AB	17	NUX31RUD250_AB	10

Reference Numbers

Overview

Ref.	Page
NUX31RUD250_DB	10
NUX31RUD250_DG	10
NUX31RUD250_JB	10
NUX31RUD250_PW	10
NUX31RUD250_SS	10
NUX31SAT_AB	18
NUX31SAT_DB	18
NUX31SAT_DG	18
NUX31SAT_JB	18
NUX31SAT_PW	18
NUX31SAT_SS	18
NUX31SC_AB	11
NUX31SC_DB	11
NUX31SC_DG	11
NUX31SC_JB	11
NUX31SC_PW	11
NUX31SC_SS	11
NUX_31_SS	21
NUX31TB_AB	17
NUX31TB_DB	17
NUX31TB_DG	17
NUX31TB_JB	17
NUX31TB_PW	17
NUX31TB_SS	17
NUX31TV_AB	18
NUX31TV_DB	18
NUX31TV_DG	18
NUX31TV_JB	18
NUX31TV_PW	18
NUX31TV_SS	18
NUX32_1_AB	7
NUX32_1_DB	7
NUX32_1_DG	7
NUX32_1_JB	7
NUX32_1N_AB	8
NUX32_1N_DB	8
NUX32_1N_DG	8
NUX32_1N_JB	8
NUX32_1N_PW	8
NUX32_1N_SS	8
NUX32_1_PW	7
NUX32_1_SS	7
NUX32_2_AB	7
NUX32_2_DB	7
NUX32_2_DG	7
NUX32_2_JB	7
NUX32_2N_AB	8
NUX32_2N_DB	8
NUX32_2N_DG	8
NUX32_2N_JB	8

Ref.	Page
NUX32_2N_PW	8
NUX32_2N_SS	8
NUX32_2_PW	7
NUX32_2_SS	7
NUX32ACQUSB_AB	15
NUX32ACQUSB_DB	15
NUX32ACQUSB_DG	15
NUX32ACQUSB_JB	15
NUX32ACQUSB_PW	15
NUX32ACQUSB_SS	15
NUX32D20N_AB	9
NUX32D20N_DB	9
NUX32D20N_DG	9
NUX32D20N_JB	9
NUX32D20N_PW	9
NUX32D20N_SS	9
NUX32DMS_AB	11
NUX32DMS_DB	11
NUX32DMS_DG	11
NUX32DMS_JB	11
NUX32DMS_PW	11
NUX32DMS_SS	11
NUX32_IM_AB	7
NUX32_IM_DB	7
NUX32_IM_DG	7
NUX32_IM_JB	7
NUX32_IM_PW	7
NUX32_IM_SS	7
NUX32_PR_AB	11
NUX32_PR_DB	11
NUX32_PR_DG	11
NUX32_PR_JB	11
NUX32_PR_PW	11
NUX32_PR_SS	11
NUX32RJ4_AB	18
NUX32RJ4_DB	18
NUX32RJ4_DG	18
NUX32RJ4_JB	18
NUX32RJ4_PW	18
NUX32RJ4_SS	18
NUX32RJ6_AB	19
NUX32RJ6_DB	19
NUX32RJ6_DG	19
NUX32RJ6_JB	19
NUX32RJ6_PW	19
NUX32RJ6_SS	19
NUX32RJ_AB	19
NUX32RJ_DB	19
NUX32RJ_DG	19
NUX32RJ_JB	19

Ref.	Page
NUX32RJ_PW	19
NUX32RJ_SS	19
NUX32RUD250_AB	10
NUX32RUD250_DB	10
NUX32RUD250_DG	10
NUX32RUD250_JB	10
NUX32RUD250_PW	10
NUX32RUD250_SS	10
NUX32SC_AB	11
NUX32SC_DB	11
NUX32SC_DG	11
NUX32SC_JB	11
NUX32SC_PW	11
NUX32SC_SS	11
NUX32TDRJ6_AB	19
NUX32TDRJ6_DB	19
NUX32TDRJ6_DG	19
NUX32TDRJ6_JB	19
NUX32TDRJ6_PW	19
NUX32TDRJ6_SS	19
NUX32TV_AB	18
NUX32TV_DB	18
NUX32TV_DG	18
NUX32TVFMM_AB	18
NUX32TVFMM_DB	18
NUX32TVFMM_DG	18
NUX32TVFMM_JB	18
NUX32TVFMM_PW	18
NUX32TVFMM_SS	18
NUX32TV_JB	18
NUX32TV_PW	18
NUX32TVRJ4_AB	18
NUX32TVRJ4_DB	18
NUX32TVRJ4_DG	18
NUX32TVRJ4_JB	18
NUX32TVRJ4_PW	18
NUX32TVRJ4_SS	18
NUX32TVRJ6_AB	19
NUX32TVRJ6_DB	19
NUX32TVRJ6_DG	19
NUX32TVRJ6_JB	19
NUX32TVRJ6_PW	19
NUX32TVRJ6_SS	19
NUX32TV_SS	18
NUX33_1_AB	7
NUX33_1_DB	7
NUX33_1_DG	7
NUX33_1_JB	7
NUX33_1N_AB	8
NUX33_1N_DB	8

Ref.	Page
NUX33_1N_DG	8
NUX33_1N_JB	8
NUX33_1N_PW	8
NUX33_1N_SS	8
NUX33_1_PW	7
NUX33_1_SS	7
NUX33_2_AB	7
NUX33_2_DB	7
NUX33_2_DG	7
NUX33_2_JB	7
NUX33_2N_AB	8
NUX33_2N_DB	8
NUX33_2N_DG	8
NUX33_2N_JB	8
NUX33_2N_PW	8
NUX33_2N_SS	8
NUX33_2_PW	7
NUX33_2_SS	7
NUX33_PR_AB	11
NUX33_PR_DB	11
NUX33_PR_DG	11
NUX33_PR_JB	11
NUX33_PR_PW	11
NUX33_PR_SS	11
NUX33RUD250_AB	10
NUX33RUD250_DB	10
NUX33RUD250_DG	10
NUX33RUD250_JB	10
NUX33RUD250_PW	10
NUX33RUD250_SS	10
NUX33SMATV_AB	18
NUX33SMATV_DB	18
NUX33SMATV_DG	18
NUX33SMATV_JB	18
NUX33SMATV_PW	18
NUX33SMATV_SS	18
NUX34_1_AB	7
NUX34_1_DB	7
NUX34_1_DG	7
NUX34_1_JB	7
NUX34_1N_AB	8
NUX34_1N_DB	8
NUX34_1N_DG	8
NUX34_1N_JB	8
NUX34_1N_PW	8
NUX34_1N_SS	8
NUX34_1_PW	7
NUX34_1_SS	7
NUX34_2_AB	7
NUX34_2_DB	7

Reference Numbers


Overview

Ref.	Page
NUX34_2_DG	7
NUX34_2_JB	7
NUX34_2N_AB	8
NUX34_2N_DB	8
NUX34_2N_DG	8
NUX34_2N_JB	8
NUX34_2N_PW	8
NUX34_2N_SS	8
NUX34_2_PW	7
NUX34_2_SS	7
NUX_41_AB	21
NUX_41_DB	21
NUX_41_DG	21
NUX_41_JB	21
NUX_41_PW	21
NUX_41_SS	21
NUX_51_AB	21
NUX_51_DB	21
NUX_51_DG	21
NUX_51_JB	21
NUX_51_PW	21
NUX_51_SS	21
NUX426_5_AB	13
NUX426_5_DB	13
NUX426_5_DG	13
NUX426_5_JB	13
NUX426_5_PW	13
NUX426_5_SS	13
NUX426_AB	13
NUX426_DB	13
NUX426_DG	13
NUX426_JB	13
NUX426_PW	13
NUX426_SS	13
NUX426UEST2_DB	13
NUX426UEST2_DG	13
NUX426UEST2_JB	13
NUX426UEST2_PW	13
NUX426UEST2_SS	13
NUX426UEST_DB	13
NUX426UEST_DG	13
NUX426UEST_JB	13
NUX426UEST_PW	13
NUX426UEST_SS	13
NUX554_AB	17
NUX554_DB	17
NUX554_DG	17
NUX554_JB	17
NUX554_PW	17
NUX554_SS	17

Ref.	Page
NUXFLIR_AB	11
NUXFLIR_DB	11
NUXFLIR_DG	11
NUXFLIR_JB	11
NUXFLIR_PW	11
NUXFLIR_SS	11
NUXT15D45N_AB	10
NUXT15D45N_DB	10
NUXT15D45N_DG	10
NUXT15D45N_JB	10
NUXT15D45N_PW	10
NUXT15D45N_SS	10
NUXT25_AB	14
NUXT25D_AB	14
NUXT25_DB	14
NUXT25D_DB	14
NUXT25D_DG	14
NUXT25_DG	14
NUXT25D_JB	14
NUXT25DN_AB	14
NUXT25DN_DB	14
NUXT25DN_DG	14
NUXT25DN_JB	14
NUXT25DN_PW	14
NUXT25DN_SS	14
NUXT25D_PW	14
NUXT25D_SS	14
NUXT25_JB	14
NUXT25N_AB	14
NUXT25N_DB	14
NUXT25N_DG	14
NUXT25N_JB	14
NUXT25N_PW	14
NUXT25N_SS	14
NUXT25_PW	14
NUXT25_SS	14
NUXT426_AB	13
NUXT426_DB	13
NUXT426_DG	13
NUXT426_JB	13
NUXT426_PW	13
NUXT426_SS	13
NUXT727V_AB	11
NUXT727V_DB	11
NUXT727V_DG	11
NUXT727V_JB	11
NUXT727V_PW	11
NUXT727V_SS	11



Environmental Data Program




Next-level transparency for better-informed product choices

The Environmental Data Program is a framework for how we measure, categorize, and compare the environmental attributes and footprint of our products.

Using a rigorous, fact-based methodology, the program provides environmental data from across the product lifecycle.

Five data categories across the product lifecycle



Use Better: How sustainable a product is, including environmental footprint, materials and substances, packaging, and energy efficiency.

Use Longer: How a product's life time can be effectively extended in terms of reparability and updatability.

Use Again: How a product can be reused, from dismantling and remanufacturing to recyclability and manufacturer take back.

With this transparent, verified data, customers and partners are empowered to make conscious environmental choices and accurately evaluate and report on sustainability performance.

All our hardware offers have an associated environmental data available on se.com product pages.



Learn more about the
Environmental Data Program



Schneider Electric Industries SAS

35, rue Joseph Monier
CS 30323
92506 Rueil Malmaison Cedex
France

RCS Nanterre 954 503 439
Capital social 928 298 512 €
www.se.com

11-2024

© 2024 - Schneider Electric. All Rights Reserved.
All trademarks are owned by Schneider Electric Industries SAS or its affiliated companies.
Document reference: LSB03191EN • 998-21844313

This document has been
printed on recycled paper

